KIDNEY INTERNATIONAL

Volume 59, June 2001

Official Journal of the International Society of Nephrology

Le Journal Officiel de la Société Internationale de Néphrologie

Table of contents

FROM THE EDITOR

A look back and a look toward the future. *Saulo Klahr* 1

PERSPECTIVES IN RENAL MEDICINE

Rapamycin in transplantation: A review of the evidence. *Richard N. Saunders, Mathew S. Metcalfe, and Michael L. Nicholson* 3

End-stage renal disease, atherosclerosis, and cardiovascular mortality: Is C-reactive protein the missing link? *Mustafa Arici and John Walls* 407

What is the difference between IgA nephropathy and Henoch-Schönlein purpura nephritis? *Jean-Claude Davin, Ineke J. ten Berge, and Jan J. Weening* 823

Renoprotection: One or many therapies? *Lee A. Hebert, William A. Wilmer, Michael E. Falkenhain, Stephanie E. Ladson-Wofford, N. Stanley Nahman, Jr., and Brad H. Rovin* 1211

The moth and the aspen tree: Sodium in early postnatal development. *Robert L. Chevalier* 1617

Treatment prospects for autosomal-dominant polycystic kidney disease. *Qi Qian, Peter C. Harris, and Vicente E. Torres* 2005

PERSPECTIVES IN BASIC SCIENCE

Regulation of renal tubular secretion of organic compounds. *Efim B. Berkhin and Michael H. Humphreys* 17

Transcription factor-κB (NF-κB) and renal disease. *Carlos Guijarro and Jesús Egido* 415

Molecular aspects of renal tubular handling and regulation of inorganic sulfate. *Laurent Beck and Caroline Silve* 835

Intrarenal synthesis of complement. *Wuding Zhou, James E. Marsh, and Steven H. Sacks* 1227

Role of immunocompetent cells in nonimmune renal diseases. *Bernardo Rodríguez-Iturbe, Héctor Pons, Jaime Herrera-Acosta, and Richard J. Johnson* 1626

Hepatocyte growth factor: Renotropic role and potential therapeutics for renal diseases. *Kunio Matsumoto and Toshikazu Nakamura* 2023

GENETIC DISORDERS – DEVELOPMENT

Phenotypic expression of primary hyperoxaluria: Comparative features of types I and II. *Dawn S. Milliner, David M. Wilson, and Lynwood H. Smith* 31

Functional glucocorticoid receptors in the mesonephros of the ovine fetus. *Arianne Peers, Vicky Hantzis, Miodrag Dodic, Irene Koukoulas, Angela Gibson, Rebecca Baird, Renato Salemi, and E. Marelyn Wintour* 425

Establishing an algorithm for molecular genetic diagnostics in 127 families with juvenile nephronophthisis. *Friedhelm Hildebrandt, Cornelia Rensing, Regina C. Betz, Ulrike Sommer, Stefanie Birnbaum, Anita Imm, Heymut Omran, Michael Leipoldt, Edgar Otto, and the Arbeitsgemeinschaft für Paediatrische Nephrologie (APN) Study Group* 434

Fetal rhesus monkey model of obstructive renal dysplasia. *Alice F. Tarantal, Victor K.M. Han, Kent C. Cochrum, Amy Mok, Michael daSilva, and Douglas G. Matsell* 446

KIDNEY INTERNATIONAL

Volume 59, June 2001

Official Journal of the International Society of Nephrology

Le Journal Officiel de la Société Internationale de Néphrologie

Table of contents

FROM THE EDITOR

A look back and a look toward the future. *Saulo Klahr* 1

PERSPECTIVES IN RENAL MEDICINE

Rapamycin in transplantation: A review of the evidence. *Richard N. Saunders, Mathew S. Metcalfe, and Michael L. Nicholson* 3

End-stage renal disease, atherosclerosis, and cardiovascular mortality: Is C-reactive protein the missing link? *Mustafa Arici and John Walls* 407

What is the difference between IgA nephropathy and Henoch-Schönlein purpura nephritis? *Jean-Claude Davin, Ineke J. ten Berge, and Jan J. Weening* 823

Renoprotection: One or many therapies? *Lee A. Hebert, William A. Wilmer, Michael E. Falkenhain, Stephanie E. Ladson-Wofford, N. Stanley Nahman, Jr., and Brad H. Rovin* 1211

The moth and the aspen tree: Sodium in early postnatal development. *Robert L. Chevalier* 1617

Treatment prospects for autosomal-dominant polycystic kidney disease. *Qi Qian, Peter C. Harris, and Vicente E. Torres* 2005

PERSPECTIVES IN BASIC SCIENCE

Regulation of renal tubular secretion of organic compounds. *Efim B. Berkhin and Michael H. Humphreys* 17

Transcription factor-κB (NF-κB) and renal disease. *Carlos Guijarro and Jesús Egido* 415

Molecular aspects of renal tubular handling and regulation of inorganic sulfate. *Laurent Beck and Caroline Silve* 835

Intrarenal synthesis of complement. *Wuding Zhou, James E. Marsh, and Steven H. Sacks* 1227

Role of immunocompetent cells in nonimmune renal diseases. *Bernardo Rodríguez-Iturbe, Héctor Pons, Jaime Herrera-Acosta, and Richard J. Johnson* 1626

Hepatocyte growth factor: Renotropic role and potential therapeutics for renal diseases. *Kunio Matsumoto and Toshikazu Nakamura* 2023

GENETIC DISORDERS – DEVELOPMENT

Phenotypic expression of primary hyperoxaluria: Comparative features of types I and II. *Dawn S. Milliner, David M. Wilson, and Lynwood H. Smith* 31

Functional glucocorticoid receptors in the mesonephros of the ovine fetus. *Arianne Peers, Vicky Hantzis, Miodrag Dodic, Irene Koukoulas, Angela Gibson, Rebecca Baird, Renato Salemi, and E. Marelyn Wintour* 425

Establishing an algorithm for molecular genetic diagnostics in 127 families with juvenile nephronophthisis. *Friedhelm Hildebrandt, Cornelia Rensing, Regina C. Betz, Ulrike Sommer, Stefanie Birnbaum, Anita Imm, Heymut Omran, Michael Leipoldt, Edgar Otto, and the Arbeitsgemeinschaft für Paediatrische Nephrologie (APN) Study Group* 434

Fetal rhesus monkey model of obstructive renal dysplasia. *Alice F. Tarantal, Victor K.M. Han, Kent C. Cochrum, Amy Mok, Michael daSilva, and Douglas G. Matsell* 446

PAX2 mutations in oligomeganephronia. *Rémi Salomon, Anne-Lorraine Tellier, Tania Attie-Bitach, Jeanne Amiel, Michel Vekemans, Stanislas Lyonnet, Pascal Dureau, Patrick Niaudet, Marie-Claire Gubler, and Michel Broyer* 457

Tubulointerstitial nephritis associated with a novel mitochondrial point mutation. *Chin-Yuan Tzen, Jeng-Daw Tsai, Tsu-Yen Wu, Be-Fon Chen, Mong-Liang Chen, Shuan-Pei Lin, and Shiu-Ching Chen* 846

Clinical and pathologic features of focal segmental glomerulosclerosis with mitochondrial $tRNA^{Leu(UUR)}$ gene mutation. *Osamu Hotta, Chiyoko N. Inoue, Shigeaki Miyabayashi, Takashi Furuta, Akihiko Takeuchi, and Yoshio Taguma* 1236

No evidence for *AT2R* gene derangement in human urinary tract anomalies. *Masahiro Hiraoka, Takanobu Taniguchi, Hideo Nakai, Minoru Kino, Yuusaku Okada, Akihiko Tanizawa, Hirokazu Tsukahara, Yusei Ohshima, Ikunobu Muramatsu, and Mitsufumi Mayumi* 1244

Cystinuria type I: Identification of eight new mutations in *SLC3A1*. *Luigi Bisceglia, Jesús Purroy, Maite Jiménez-Vidal, Adamo P. d'Adamo, Ferran Rousaud, Ercole Beccia, Rosa Penza, Gianfranco Rizzoni, Michele Gallucci, Manuel Palacín, Paolo Gasparini, Virginia Nunes, and Leopoldo Zelante* 1250

In vitro studies on the roles of transforming growth factor-β1 in rat metanephric development. *Amander T. Clark, Richard J. Young, and John F. Bertram* 1641

Progression of autosomal-dominant polycystic kidney disease in children. *Godela M. Fick-Brosnahan, Zung Vu Tran, Ann M. Johnson, John D. Strain, and Patricia A. Gabow* (See Editorial by Avner, p. 1979) 1654

Effect of prenatal dexamethasone on rat renal development. *Luis A. Ortiz, Albert Quan, Arthur Weinberg, and Michel Baum* 1663

Segregation of hematuria in thin basement membrane disease with haplotypes at the loci for Alport syndrome. *Mark Buzza, Diane Wilson, and Judy Savige* 1670

Rapid Communication: Autosomal-dominant periodic fever with AA amyloidosis: Novel mutation in tumor necrosis factor receptor 1 gene. *Michel Jadoul, Catherine Dodé, Jean-Pierre Cosyns, Daniel Abramowicz, Bernard Georges, Marc Delpech, and Yves Pirson* 1677

HORMONES – CYTOKINES – SIGNALING

Effects of dehydroepiandrosterone and quinapril on nephropathy in obese Zucker rats. *Robert J. Richards, Johnny R. Porter, Felipe Inserra, León F. Ferder, Inès Stella, Efrain Reisin, and Frank Svec* 37

Effect of indomethacin on peritoneal protein loss in a rabbit model of peritonitis. *Hongwei Peng, Alfred K. Cheung, Larry G. Reimer, Craig D. Kamerath, and John K. Leypoldt* 44

Dietary soy protein effects on disease and IGF-I in male and female Han:SPRD-*cy* rats. *Harold M. Aukema and Ihsan Housini* 52

Furosemide stimulates macula densa cyclooxygenase-2 expression in rats. *Bianca Mann, Andrea Hartner, Boye L. Jensen, Martin Kammerl, Bernhard K. Krämer, and Armin Kurtz* 62

Regulation of TNF-α by 1α,25-dihydroxyvitamin D_3 in human macrophages from CAPD patients. *Merav Lahav Cohen, Amos Douvdevani, Cidio Chaimovitz, and Shraga Shany* 69

Dopamine induces ERK activation in renal epithelial cells through H_2O_2 produced by monoamine oxidase. *Cécile Vindis, Marie-Hélène Séguélas, Stephen Lanier, Angelo Parini, and Claudie Cambon* 76

Hydrogen peroxide increases extracellular matrix mRNA through TGF-β in human mesangial cells. *M. Carmen Iglesias-de la Cruz, Piedad Ruiz-Torres, José Alcamí, Luisa Díez-Marqués, Rocío Ortega-Velázquez, Sheldon Chen, Manuel Rodríguez-Puyol, Fuad N. Ziyadeh, and Diego Rodríguez-Puyol* 87

Expression of insulin-like growth factor-I and transforming growth factor-β in hypokalemic nephropathy in the rat. *Tanny Tsao, Janet Fawcett, Fernando C. Fervenza, Fay W. Hsu, Phillip Huie, Richard K. Sibley, and Ralph Rabkin* 96

High glucose–induced PKC activation mediates TGF-β1 and fibronectin synthesis by peritoneal mesothelial cells. *Hunjoo Ha, Mi Ra Yu, and Hi Bahl Lee* 463

Caveolae in mesangial cells and caveolin expression in mesangial proliferative glomerulonephritis. *Osamu Tamai, Naoki Oka, Toshio Kikuchi, Yoshiro Koda, Mikiko Soejima, Yoshifumi Wada, Masahisa Fujisawa, Kiyoshi Tamaki, Hiroshi Kawachi, Fujio Shimizu, Hiroshi Kimura, Tsutomu Imaizumi, and Seiya Okuda* (see Editorial by Fine, p. 797) 471

$p21^{WAF1}$ and transforming growth factor-α mediate dietary phosphate regulation of parathyroid cell growth. *Adriana S. Dusso, Tricia Pavlopoulos, Lech Naumovich, Yan Lu, Jane Finch, Alex J. Brown, Jeremiah Morrissey, and Eduardo Slatopolsky* (see Editorial by Drüeke, p. 1182) 855

Insulin regulation of protein translation repressor 4E-BP1, an eIF4E-binding protein, in renal epithelial cells. *Basant K. Bhandari, Denis Feliers, Senthil Duraisamy, Jennifer L. Stewart, Anne-Claude Gingras, Hanna E. Abboud, Goutam Ghosh Choudhury, Nahum Sonenberg, and Balakuntalam S. Kasinath* 866

Relaxin decreases renal interstitial fibrosis and slows progression of renal disease. *Sandra L. Garber, Yelena Mirochnik, Carolyn S. Brecklin, Elaine N. Unemori, Ashok K. Singh, Leonid Slobodskoy, Beverly H. Grove, Jose A.L. Arruda, and George Dunea* (see Editorial by Becker and Hewitson, p. 1184) 876

T cells activate the tumor necrosis factor-α system during hemodialysis, resulting in tachyphylaxis. *Iza C. van Riemsdijk, Carla C. Baan, Elisabeth H.M. Loonen, Christiaan J. Knoop, Gustavo Navarro Betonico, Hubert G.M. Niesters, Robert Zietse, and Willem Weimar* 883

AT_1 receptor antagonist combats oxidative stress and restores nitric oxide signaling in the SHR. *William J. Welch and Christopher S. Wilcox* 1257

Increased cGMP phosphodiesterase activity mediates renal resistance to ANP in rats with bile duct ligation. *Xi-Ping Ni, Massy Safai, David G. Gardner, and Michael H. Humphreys* 1264

Increased expression of atrial natriuretic peptide in the kidney of rats with bilateral ureteral obstruction. *Soo Wan Kim, JongUn Lee, Jong Wook Park, Jung Hee Hong, Hyun Kook, Chan Choi, and Ki Chul Choi* 1274

Mesangial cells release untransformed prostaglandin H_2 as a major prostanoid. *Marta Soler, Mercedes Camacho, Ricard Solá, and Luís Vila* 1283

Role of nitric oxide in renal tubular apoptosis of unilateral ureteral obstruction. *Akira Miyajima, Jie Chen, Dix P. Poppas, E. Darracott Vaughan, Jr., and Diane Felsen* 1290

Hepatocyte growth factor suppresses interstitial fibrosis in a mouse model of obstructive nephropathy. *Shinya Mizuno, Kunio Matsumoto, and Toshikazu Nakamura* 1304

Leptin stimulates type I collagen production in *db/db* mesangial cells: Glucose uptake and TGF-β type II receptor expression. *Dong Cheol Han, Motohide Isono, Sheldon Chen, Alberto Casaretto, Soon Won Hong, Gunter Wolf, and Fuad N. Ziyadeh* 1315

PDGF signal transduction inhibition ameliorates experimental mesangial proliferative glomerulonephritis. *Richard E. Gilbert, Darren J. Kelly, Tara McKay, Steven Chadban, Prudence A. Hill, Mark E. Cooper, Robert C. Atkins, and David J. Nikolic-Paterson* (see Editorial by Floege and Ostendorf, p. 1592) 1324

D_1-like dopamine receptor activation and natriuresis by nitrocatechol COMT inhibitors. *Maria Augusta Vieira-Coelho, Pedro Gomes, Maria Paula Serrão, and Patrício Soares-da-Silva* 1683

High glucose inhibits renal proximal tubule cell proliferation and involves PKC, oxidative stress, and TGF-β1. *Soo-Hyun Park, Hyun-Ju Choi, Jang-Hern Lee, Chang-Hoon Woo, Jae-Hong Kim, and Ho-Jae Han* 1695

Glucocorticoids stimulate $p21^{CIP1}$ in mesangial cells and in anti-GBM glomerulonephritis. *Yoshio Terada, Tomokazu Okado, Seiji Inoshita, Satoko Hanada, Michio Kuwahara, Sei Sasaki, Tadashi Yamamoto, and Fumiaki Marumo* 1706

Arachidonic acid directly activates members of the mitogen-activated protein kinase superfamily in rabbit proximal tubule cells. *Larry D. Alexander, Xiao-Lan Cui, John R. Falck, and Janice G. Douglas* 2039

Release of urokinase plasminogen activator receptor during urosepsis and endotoxemia. *Sandrine Florquin, José G. van den Berg, Dariusz P. Olszyna, Nike Claessen, Steven M. Opal, Jan J. Weening, and Tom van der Poll* 2054

CELL BIOLOGY – IMMUNOLOGY – PATHOLOGY

Heme protein-induced chronic renal inflammation: Suppressive effect of induced heme oxygenase-1. *Karl A. Nath, Gregory M. Vercellotti, Joseph P. Grande, Hiroko Miyoshi, Carlos V. Paya, J. Carlos Manivel, Jill J. Haggard, Anthony J. Croatt, William D. Payne, and Jawed Alam* (see Editorial by Kanwar, p. 378) 106

Synaptopodin expression in idiopathic nephrotic syndrome of childhood. *Tarak Srivastava, Robert E. Garola, Joan M. Whiting, and Uri S. Alon* 118

The pck rat: A new model that resembles human autosomal dominant polycystic kidney and liver disease. *Donna J. Lager, Qi Qian, Rosemary J. Bengal, Masahiko Ishibashi, and Vicente E. Torres* 126

Clusterin is up-regulated in glomerular mesangial cells in complement-mediated injury. *Koei Yamada, Yuichi Hori, Norio Hanafusa, Toshihiro Okuda, Nobuo Nagano, Nam-Ho Choi-Miura, William G. Couser, Toshio Miyata, Kiyoshi Kurokawa, Toshiro Fujita, and Masaomi Nangaku* 137

Antineutrophil cytoplasmic antibodies to proteinase 3 in Wegener's granulomatosis: Epitope analysis using synthetic peptides. *Ymke M. van der Geld, Arjan Simpelaar, Ruurd van der Zee, Jan Willem Cohen Tervaert, Coen A. Stegeman, Pieter C. Limburg, and Cees G.M. Kallenberg* 147

No complement receptor 1 stumps on podocytes in human glomerulopathies. *Solange Moll, Sylvie Miot, Salima Sadallah, Fred Gudat, Michael J. Mihatsch, and Jürg A. Schifferli* 160

Intratubular crystallization of calcium oxalate in the presence of membrane vesicles: An in vitro study. *Julie M. Fasano and Saeed R. Khan* 169

Hypoalbuminemia and proteinuria contribute separately to reduced lipoprotein catabolism in the nephrotic syndrome. *Gregory C. Shearer, Frazier T. Stevenson, David N. Atkinson, Hardin Jones, Jr., Ilona Staprans, and George A. Kaysen* (see Editorial by O'Donnell, p. 380) 179

Hyaluronan-induced cyclooxygenase-2 expression promotes thromboxane A_2 production by renal cells. *Li K. Sun, Beatrice Beck-Schimmer, Beat Oertli, and Rudolf P. Wüthrich* 190

Lipid peroxidation in human proteinuric disease. *Marja-Liisa Solin, Heikki Ahola, Anni Haltia, Fulvio Ursini, Tom Montine, Antonella Roveri, Dontscho Kerjaschki, and Harry Holthöfer* 481

Unusual expression of human lymphocyte antigen class II in normal renal microvascular endothelium. *Kimberly A. Muczynski, Tom Cotner, and Susan K. Anderson* 488

Effect of anti-transforming growth factor-β antibodies in cyclosporine-induced renal dysfunction. *Muhammad Islam, James F. Burke, Jr., Tracy A. McGowan, Yanqing Zhu, Stephen R. Dunn, Peter McCue, John Kanalas, and Kumar Sharma* 498

Turnover of human tubular cells exposed to proteins in vivo and in vitro. *Christopher J. Burton, Steven J. Harper, Elaine Bailey, John Feehally, Kevin P.G. Harris, and John Walls* 507

Immunofluorescent imaging of β_1- and β_2-adrenergic receptors in rat kidney. *Valérie Boivin, Roland Jahns, Stepan Gambaryan, Winfried Ness, Fritz Boege, and Martin J. Lohse* 515

Up-regulation of extracellular matrix proteoglycans and collagen type I in human crescentic glomerulonephritis. *Michael B. Stokes, Kelly L. Hudkins, Valentin Zaharia, Sekiko Taneda, and Charles E. Alpers* 532

A novel model to study renal myofibroblast formation in vitro. *Clemens Grupp, Ilka Troche, Carmen Klass, Matthias Köhler, and Gerhard Anton Müller* 543

Flow cytometric immunodissection of the human distal tubule and cortical collecting duct system. *Mark J.F. Helbert, Simonne E.H. Dauwe, and Marc E. De Broe* 554

Nephritogenic cytokines and disease in MRL-*Fas*^{lpr} kidneys are dependent on multiple T-cell subsets. *Takashi Wada, Andreas Schwarting, Mark S. Chesnutt, David Wofsy, and Vicki Rubin Kelley* 565

TGF-β1 induces proliferation in human renal fibroblasts via induction of basic fibroblast growth factor-2 (FGF-2). *Frank Strutz, Michael Zeisberg, Anja Renziehausen, Birgit Raschke, Volker Becker, Cees van Kooten, and Gerhard A. Müller* 579

Antineutrophil cytoplasm antibody-induced neutrophil nitric oxide production is nitric oxide synthase independent. *Wai Y. Tse, Julie Williams, Abeed Pall, Mark Wilkes, Caroline O.S. Savage, and Dwomoa Adu* 593

Aminopeptidase A: A nephritogenic target antigen of nephrotoxic serum. *Sumant Chugh, Huaiping Yuan, Peter S. Topham, Samir A. Haydar, Vivek Mittal, Gregory A. Taylor, Raghu Kalluri, and David J. Salant* 601

HB-EGF is produced in the peritoneal cavity and enhances mesothelial cell adhesion and migration. *Randall J. Faull, Jodie M. Stanley, Scott Fraser, David A. Power, and David I. Leavesley* 614

Escherichia coli-induced inducible nitric oxide synthase and cyclooxygenase expression in the mouse bladder and kidney. *Mirjana Poljakovic, Maj-Lis Svensson, Catharina Svanborg, Kjell Johansson, Bengt Larsson, and Katarina Persson* 893

Complement (C5b-9) induces DNA synthesis in rat mesangial cells in vitro. *William G. Couser, Jeffrey W. Pippin, and Stuart J. Shankland* 905

In vitro decrease of glomerular heparan sulfate by lymphocytes from idiopathic nephrotic syndrome patients. *Beatrice Birmele, Gilles Thibault, Hubert Nivet, Ariane de Agostini, and Eric P. Girardin* 913

Activation of nuclear factor-κB by podocytes in the autologous phase of passive Heymann nephritis. *Stuart J. Mudge, Kathy Paizis, Russell B. Auwardt, Rachel J. Thomas, and David A. Power* 923

Role of polymeric Tamm-Horsfall protein in cast formation: Oligosaccharide and tubular fluid ions. *Adisorn Wangsiripaisan, Patricia E. Gengaro, Charles L. Edelstein, and Robert W. Schrier* 932

Role of $CD8^+$ cells in the progression of murine adriamycin nephropathy. *Yang Wang, Yi Ping Wang, Yuet-Ching Tay, and David C.H. Harris* 941

Streptococcal erythrogenic toxin B induces apoptosis and proliferation in human leukocytes. *Ninoska T. Viera, Maritza J. Romero, Mary K. Montero, Jaimar Rincon, and Jesus A. Mosquera* 950

Expression of osteopontin in gentamicin-induced acute tubular necrosis and its recovery process. *Yuan-sheng Xie, Shinichi Nishi, Seitaro Iguchi, Naofumi Imai, Minoru Sakatsume, Akihiko Saito, Mika Ikegame, Noriaki Iino, Hisaki Shimada, Mitsuhiro Ueno, Hiroyuki Kawashima, Masaaki Arakawa, and Fumitake Gejyo* 959

Depletion of $CD4^+$ T cells aggravates glomerular and interstitial injury in murine adriamycin nephropathy. *Yiping Wang, Yang Wang, Ximin Feng, Shisan Bao, Shounan Yi, Lukas Kairaitis, Yuet-Ching Tay, Gopala K. Rangan, and David C.H. Harris* 975

Polymorphisms of the glucose transporter (*GLUT1*) gene are associated with diabetic nephropathy. *Andrea D. Hodgkinson, Beverley A. Millward, and Andrew G. Demaine* 985

β_2-Microglobulin modified with advanced glycation end products delays monocyte apoptosis. *Fan Fan Hou, Toshio Miyata, Joshua Boyce, Qian Yuan, Glenn M. Chertow, Jonathan Kay, Ann Marie Schmidt, and William F. Owen, Jr.* 990

FAT is a component of glomerular slit diaphragms. *Tsutomu Inoue, Eishin Yaoita, Hidetake Kurihara, Fujio Shimizu, Tatsuo Sakai, Tatsuya Kobayashi, Kazufumi Ohshiro, Hiroshi Kawachi, Hirokazu Okada, Hiromichi Suzuki, Itaru Kihara, and Tadashi Yamamoto* 1003

Simultaneous blockade of endothelin A and B receptors in ischemic acute renal failure is detrimental to long-term kidney function. *Josephine Maree Forbes, Timothy David Hewitson, Gavin James Becker, and Colin Lindsay Jones* (see Editorial by Safirstein, p. 1590) 1333

Selenium-deficient diet induces renal oxidative stress and injury via TGF-β1 in normal and diabetic rats. *Alluru S. Reddi and Jaya S. Bollineni* 1342

12-Lipoxygenase is increased in glucose-stimulated mesangial cells and in experimental diabetic nephropathy. *Shin-Wook Kang, Sharon G. Adler, Cynthia C. Nast, Janine LaPage, Jia-Li Gu, Jerry L. Nadler, and Rama Natarajan* 1354

Gene expression profile in streptozotocin-induced diabetic mice kidneys undergoing glomerulosclerosis. *Jun Wada, Hong Zhang, Yoshinori Tsuchiyama, Keita Hiragushi, Kazuyuki Hida, Kenichi Shikata, Yashpal S. Kanwar, and Hirofumi Makino* 1363

Mast cell chymase expression and mast cell phenotypes in human rejected kidneys. *Mayumi Yamada, Makiko Ueda, Takahiko Naruko, Shigeru Tanabe, Young-Sin Han, Yoshihiro Ikura, Masayuki Ogami, Shinji Takai, and Mizuo Miyazaki* 1374

Defective expression of B7-2 (CD86) on monocytes of dialysis patients correlates to the uremia-associated immune defect. *Matthias Girndt, Martina Sester, Urban Sester, Harald Kaul, and Hans Köhler* 1382

Prolonged transgene expression in glomeruli using an EBV replicon vector system combined with HVJ liposomes. *Michiko Tsujie, Yoshitaka Isaka, Hiroyuki Nakamura, Yasufumi Kaneda, Enyu Imai, and Masatsugu Hori* 1390

Viral delivery of superoxide dismutase gene reduces cyclosporine A-induced nephrotoxicity. *Zhi Zhong, Henry D. Connor, Ming Yin, Michael D. Wheeler, Ronald P. Mason, and Ronald G. Thurman* 1397

Up-regulation of a fibroblast growth factor binding protein in children with renal diseases. *Xue-Hui Liu, Achim Aigner, Anton Wellstein, and Patricio E. Ray* 1717

Neutrophil priming and apoptosis in anti-neutrophil cytoplasmic autoantibody-associated vasculitis. *Lorraine Harper, Paul Cockwell, Dwoma Adu, and Caroline O.S. Savage* (See Editorial by Preston and Falk, p. 1981) 1729

Regulation of renal proximal tubular epithelial cell hyaluronan generation: Implications for diabetic nephropathy. *Stuart Jones, Suzanne Jones, and Aled Owain Phillips* 1739

Cholesterol ester accumulation: An immediate consequence of acute in vivo ischemic renal injury. *Richard A. Zager, Ali Johnson, Katie Anderson, and Sherry Wright* 1750

Monocyte chemoattractant protein-1 and osteopontin differentially regulate monocytes recruitment in experimental glomerulonephritis. *Ulf Panzer, Friedrich Thaiss, Gunther Zahner, Petra Barth, Mariola Reszka, Rolf R. Reinking, Gunter Wolf, Udo Helmchen, and Rolf A.K. Stahl* 1762

Role of $\alpha_3\beta_1$ integrin in tubulogenesis of Madin-Darby canine kidney cells. *Si-Tse Jiang, Sue-Jean Chiu, Hong-Chen Chen, Woei-Jer Chuang, and Ming-Jer Tang* 1770

Bcl-X_L translocation in renal tubular epithelial cells in vitro protects distal cells from oxidative stress. *Leila Cuttle, Xiao-Ju Zhang, Zoltan H. Endre, Clay Winterford, and Glenda C. Gobé* 1779

Induction and subcellular localization of protein kinase C isozymes following renal ischemia. *Babu J. Padanilam* 1789

Induction of stress response proteins and experimental renal ischemia/reperfusion. *K.J. Kelly, Nancy R. Baird, and Adam L. Greene* 1798

Lipoprotein-stimulated mesangial cell proliferation and gene expression are regulated by lipoprotein lipase. *Frazier T. Stevenson, Gregory C. Shearer, and David N. Atkinson* (See Editorial by Harris, p. 2368) 2062

Red cell traverse through thin glomerular basement membranes. *Jill E. Collar, Suresh Ladva, Thomas D.H. Cairns, and Victoria Cattell* 2069

Calpain inhibitor-1 reduces renal ischemia/reperfusion injury in the rat. *Prabal K. Chatterjee, Paul A.J. Brown, Salvatore Cuzzocrea, Kai Zacharowski, Keith N. Stewart, Helder Mota-Filipe, Michelle C. McDonald, and Christoph Thiemermann* 2073

Cell surface heparan sulfate proteoglycans control the response of renal interstitial fibroblasts to fibroblast growth factor-2. *Aled Clayton, Janet Thomas, Gareth J. Thomas, Malcolm Davies, and Robert Steadman* 2084

Fluvastatin suppresses oxidative stress and fibrosis in the interstitium of mouse kidneys with unilateral ureteral obstruction. *Toshiki Moriyama, Noritaka Kawada, Katsuyuki Nagatoya, Masanobu Takeji, Masaru Horio, Akio Ando, Enyu Imai, and Masatsugu Hori* 2095

Glomerular cell number in normal subjects and in type 1 diabetic patients. *Michael W. Steffes, Derek Schmidt, Rebecca McCrery, John M. Basgen, and the International Diabetic Nephropathy Study Group* . . . 2104

Enhanced protection from renal ischemia: Reperfusion injury with A_{2A}-adenosine receptor activation and PDE 4 inhibition. *Mark D. Okusa, Joel Linden, Liping Huang, Diane L. Rosin, David F. Smith, and Gail Sullivan* 2114

Association of parvovirus B19 infection with idiopathic collapsing glomerulopathy. *Asha Moudgil, Cynthia C. Nast, Arvind Bagga, Lin Wei, Amet Nurmamet, Arthur H. Cohen, Stanley C. Jordan, and Mieko Toyoda* 2126

Electroporation-mediated PDGF receptor-IgG chimera gene transfer ameliorates experimental glomerulonephritis. *Hiroyuki Nakamura, Yoshitaka Isaka, Michiko Tsujie, Yoshitaka Akagi, Tetsuo Sudo, Noriko Ohno, Enyu Imai, and Masatsugu Hori* 2134

t-PA promotes glomerular plasmin generation and matrix degradation in experimental glomerulonephritis. *Masashi Haraguchi, Wayne A. Border, Yufeng Huang, and Nancy A. Noble* 2146

Significance of histologic patterns of glomerular injury upon long-term prognosis in severe lupus glomerulonephritis. *Christopher C. Najafi, Stephen M. Korbet, Edmund J. Lewis, Melvin M. Schwartz, Morris Reichlin, and Joni Evans, for the Collaborative Study Group* 2156

Chronic aristolochic acid toxicity in rabbits: A model of Chinese herbs nephropathy? *Jean-Pierre Cosyns, Jean-Paul Dehoux, Yves Guiot, Rose-Marie Goebbels, Annie Robert, Alfred M. Bernard, and Charles van Ypersele de Strihou* 2164

Nuclear factor-κB binding to the HIV-1 LTR in kidney: Implications for HIV-associated nephropathy. *Leslie A. Bruggeman, Scott H. Adler, and Paul E. Klotman* 2174

ION CHANNELS–MEMBRANE TRANSPORT–INTEGRATIVE PHYSIOLOGY

Characterization of acute inhibition of Na/H exchanger NHE-3 by dopamine in opossum kidney cells. *Michael R. Wiederkehr, Francesca Di Sole, Roberto Collazo, Henry Quiñones, Lingzhi Fan, Heini Murer, Corinna Helmle-Kolb, and Orson W. Moe* 197

Sulfate homeostasis, NaSi-1 cotransporter, and SAT-1 exchanger expression in chronic renal failure in rats. *Isabelle Fernandes, Denise Laouari, Peter Tutt, Geeta Hampson, Gérard Friedlander, and Caroline Silve* 210

Intrarenal serotonin, dopamine, and phosphate handling in remnant kidneys. *Theresa J. Berndt, Mingyu Liang, Gertrude M. Tyce, and Franklyn G. Knox* 625

Role of *GLUT1* gene in susceptibility to diabetic nephropathy in type 2 diabetes. *Wladyslaw Grzeszczak, Dariusz K. Moczulski, Marcin Zychma, Ewa Zukowska-Szczechowska, Wanda Trautsolt, and Ilona Szydlowska* 631

Mechanisms of calcium oxalate crystal attachment to injured renal collecting duct cells. *John H. Wiessner, Andrew T. Hasegawa, Linda Y. Hung, Gretchen S. Mandel, and Neil S. Mandel* 637

Expression of the sodium iodide symporter in human kidney. *Christine Spitzweg, Charyl M. Dutton, Maria R. Castro, Elizabeth R. Bergert, John R. Goellner, Armin E. Heufelder, and John C. Morris* 1013

Gentamicin causes endocytosis of Na/Pi cotransporter protein (NaPi-2). *Victor Sorribas, Nabil Halaihel, Krishna Puttaparthi, Thomas Rogers, Robert E. Cronin, Ana Isabel Alcalde, Jose Aramayona, Manuel Sarasa, Huamin Wang, Paul Wilson, Hubert Zajicek, and Moshe Levi* 1024

Mouse Na^+:HCO_3^- cotransporter isoform NBC-3 (kNBC-3): Cloning, expression, and renal distribution. *Zhaohui Wang, Laura Conforti, Snezana Petrovic, Hassane Amlal, Charles E. Burnham, and Manoocher Soleimani* 1405

Effect of acidosis on urine supersaturation and stone formation in genetic hypercalciuric stone-forming rats. *David A. Bushinsky, Marc D. Grynpas, and John R. Asplin* 1415

Dietary zinc deficiency increases uroguanylin accumulation in rat kidney. *Li Cui, Raymond K. Blanchard, and Robert J. Cousins* 1424

Functional heterogeneity of ROMK mutations linked to hyperprostaglandin E syndrome. *Nikola Jeck, Christian Derst, Erhard Wischmeyer, Henning Ott, Stefanie Weber, Christoph Rudin, Hannsjörg W. Seyberth, Jürgen Daut, Andreas Karschin, and Martin Konrad* 1803

Regulation of ROMK and channel-inducing factor in acute renal failure due to ischemic reperfusion injury. *Dimitri Gimelreich, Mordecai M. Popovtzer, Hanna Wald, Galina Pizov, Yacov Berlatzky, and Dvora Rubinger* 1812

Human cystinuria-related transporter: Localization and functional characterization. *Ken'ichi Mizoguchi, Seok Ho Cha, Arthit Chairoungdua, Do Kyung Kim, Yasuhiro Shigeta, Hirotaka Matsuo, Jun-ichi Fukushima, Yusuke Awa, Koichiro Akakura, Tomoyuki Goya, Haruo Ito, Hitoshi Endou, and Yoshikatsu Kanai* 1821

Hypertonic activation of the renal betaine/GABA transporter is microtubule dependent. *Jared C. Basham, Alexandra Chabrerie, and Stephen A. Kempson* 2182

Down-regulation of hepatic lecithin:cholesterol acyltransferase gene expression in chronic renal failure. *Nosratola D. Vaziri, Kaihui Liang, and John S. Parks* 2192

Cellular localization of the potassium channel Kir7.1 in guinea pig and human kidney. *Christian Derst, Jochen R. Hirsch, Regina Preisig-Müller, Erhard Wischmeyer, Andreas Karschin, Frank Döring, Achim Thomzig, Rüdiger W. Veh, Eberhard Schlatter, Wolfgang Kummer, and Jürgen Daut* 2197

Paracellin-1 is critical for magnesium and calcium reabsorption in the human thick ascending limb of Henle. *Anne Blanchard, Xavier Jeunemaitre, Philippe Coudol, Michèle Dechaux, Marc Froissart, Adrien May, Renato Demontis, Albert Fournier, Michel Paillard, and Pascal Houillier* 2206

VASCULAR BIOLOGY – HEMODYNAMICS – HYPERTENSION

Efferent arteriole tubuloglomerular feedback in the renal nephron. *YiLin Ren, Jeffrey L. Garvin, and Oscar A. Carretero* 222

Nephron pO_2 and renal oxygen usage in the hypertensive rat kidney. *William J. Welch, Horst Baumgärtl, Dietrich Lübbers, and Christopher S. Wilcox* 230

Prenatal programming of adult hypertension in the rat. *V. Matti Vehaskari, Diego H. Aviles, and Jennifer Manning* 238

Recombinant erythropoietin rapidly treats anemia in ischemic acute renal failure. *Takashi Nemoto, Naoko Yokota, William F. Keane, and Hamid Rabb* 246

Real-time observation of hemodynamic changes in glomerular aneurysms induced by anti–Thy-1 antibody. *Yukiko Oyanagi-Tanaka, Jian Yao, Yoko Wada, Tetsuo Morioka, Yasuhito Suzuki, Fumitake Gejyo, Masaaki Arakawa, and Takashi Oite* 252

Different effects of angiotensin II and catecholamine on renal cell apoptosis and proliferation in rats. *Toru Aizawa, Nobukazu Ishizaka, Kiyoshi Kurokawa, Ryozo Nagai, Hiroyoshi Nakajima, Jun-Ichi Taguchi, and Minoru Ohno* 645

Effect of severe aortic banding above the renal arteries on nitric oxide synthase isotype expression. *Cyril H. Barton, Zhemin Ni, and Nosratola D. Vaziri* 654

Cytochrome c mediates apoptosis in hypertensive nephrosclerosis in Dahl/Rapp rats. *Wei-Zhong Ying and Paul W. Sanders* 662

Glycated albumin stimulates TGF-β1 production and protein kinase C activity in glomerular endothelial cells. *Sheldon Chen, Margo P. Cohen, Gregory T. Lautenslager, Clyde W. Shearman, and Fuad N. Ziyadeh* 673

Renal perfusion and function in healthy African Americans. *Deborah A. Price, Naomi D.L. Fisher, Suzette Y. Osei, Maria Cecilia Lansang, and Norman K. Hollenberg* 1037

Effects of sodium artesunate, a new antimalarial drug, on renal function. *Silvia B. Campos, Lucia H.K. Rouch, and Antonio C. Seguro* 1044

Renal hemodynamic response to maximal vasodilating stimulus in healthy older subjects. *Giorgio Fuiano, Ståle Sund, Giuseppe Mazza, Margherita Rosa, Alfredo Caglioti, Giancarlo Gallo, Giuseppa Natale, Michele Andreucci, Bruno Memoli, Luca De Nicola, and Giuseppe Conte* 1052

Nitric oxide in unilateral ureteral obstruction: Effect on regional renal blood flow. *Nicholas J. Hegarty, Leonie S. Young, Caitriona N. Kirwan, Amanda J. O'Neill, David M. Bouchier-Hayes, Paul Sweeney, R. William G. Watson, and John M. Fitzpatrick* 1059

Chloride-sensitive renal microangiopathy in the stroke-prone spontaneously hypertensive rat. *Masae Tanaka, Olga Schmidlin, Jean L. Olson, Sai-Li Yi, and R. Curtis Morris, Jr.* 1066

Renal vascular responses to captopril and to candesartan in patients with type 1 diabetes mellitus. *M. Cecilia Lansang, Deborah A. Price, Lori M.B. Laffel, Suzette Y. Osei, Naomi D.L. Fisher, David Erani, and Norman K. Hollenberg* 1432

Continuous measurements of renal perfusion in pigs by means of intravascular Doppler. *Martin Möckel, Dierk Scheinert, Evgenij V. Potapov, Ernst Wellnhofer, Volker Combé, Boris A. Nasseri, Dirk Maier, Sabine Meyer, Charles Yankah, Roland Hetzer, Ulrich Frei, and Kai-Uwe Eckardt* 1439

Heme oxygenase isoform-specific expression and distribution in the rat kidney. *Jean-Louis da Silva, Barbara A. Zand, Li Ming Yang, Hatem E. Sabaawy, Elias Lianos, and Nader G. Abraham* 1448

Intrarenal angiotensin and bradykinin peptide levels in the remnant kidney model of renal insufficiency. *Fiona E. Mackie, Duncan J. Campbell, and Timothy W. Meyer* 1458

Circulating endothelial nitric oxide synthase inhibitory factor in some patients with chronic renal disease. *Shen Xiao, Laszlo Wagner, Rebecca J. Schmidt, and Chris Baylis* 1466

Effect of fluvastatin on endothelium-dependent brachial artery vasodilation in patients after renal transplantation. *Martin Hausberg, Markus Kosch, Frank Stam, Stefan Heidenreich, Klaus Kisters, Karl Heinz Rahn, and Michael Barenbrock* 1473

Creatinine clearance, pulse wave velocity, carotid compliance and essential hypertension. *Jean-Jacques Mourad, Bruno Pannier, Jacques Blacher, Annie Rudnichi, Athanase Benetos, Gérard M. London, and Michel E. Safar* 1834

Long-term exposure to high glucose up-regulates VCAM-induced endothelial cell adhesiveness to PBMC. *Ciro Esposito, Gianluca Fasoli, AnnaRita Plati, Nicoletta Bellotti, Maria Maddalena Conte, Flavia Cornacchia, Annalisa Foschi, Tiziana Mazzullo, Luca Semeraro, and Antonio Dal Canton* 1842

Chronic potassium depletion induces renal injury, salt sensitivity, and hypertension in young rats. *Patricio E. Ray, Shin-ichi Suga, Xue-Hui Liu, Xiuling Huang, and Richard J. Johnson* 1850

The SOD mimetic tempol restores vasodilation in afferent arterioles of experimental diabetes. *Christine G. Schnackenberg and Christopher S. Wilcox* 1859

Salt sensitivity in genetically hypertensive rats of the Lyon strain. *Marine Florin, Ming Lo, Kiao Ling Liu, and Jean Sassard* 1865

Circadian rhythms in systemic hemodynamics and renal function in healthy subjects and patients with nephrotic syndrome. *Albertus J. Voogel, Marion G. Koopman, Augustinus A.M. Hart, Gert A. van Montfrans, and Lambertus Arisz* 1873

Coordinate regulation of canine glomeruli and adrenal angiotensin receptors by dietary sodium manipulation. *Wei Zheng, Hong Ji, Zsolt Szabo, Phillip R. Brown, Sung-Eun Yoo, and Kathryn Sandberg* 1881

Production of cysteinyl-dopamine during intravenous dopamine therapy. *Julia L. Magnay, Jeff Tong, Rosa Drangova, and Andrew D. Baines* 1891

Peroxisome proliferator-activated receptor-γ agonist troglitazone protects against nondiabetic glomerulosclerosis in rats. *Li-Jun Ma, Carmelita Marcantoni, MacRae F. Linton, Sergio Fazio, and Agnes B. Fogo* 1899

Compensatory up-regulation of angiotensin II subtype 1 receptors in αENaC knockout heterozygous mice. *Qing Wang, Edith Hummler, Marc Maillard, Jurg Nussberger, Bernard C. Rossier, Hans R. Brunner, and Michel Burnier* 2216

Mycophenolate mofetil prevents salt-sensitive hypertension resulting from angiotensin II exposure. *Bernardo Rodríguez-Iturbe, Héctor Pons, Yasmir Quiroz, Katherine Gordon, Jaimar Rincón, Maribel Chávez, Gustavo Parra, Jaime Herrera-Acosta, Dulcenombre Gómez-Garre, Raquel Largo, Jesus Egido, and Richard J. Johnson* 2222

Renal phenotype of low kallikrein rats. *Paolo Madeddu, Carlos P. Vio, Stefania Straino, Maria Bonaria Salis, Anna Franca Milia, and Costanza Emanueli* 2233

Endotoxemic renal failure in mice: Role of tumor necrosis factor independent of inducible nitric oxide synthase. *Mladen Knotek, Boris Rogachev, Wei Wang, Tevfik Ecder, Vyacheslav Melnikov, Patricia E. Gengaro, Matthew Esson, Charles L. Edelstein, Charles A. Dinarello, and Robert W. Schrier* 2243

CLINICAL NEPHROLOGY – EPIDEMIOLOGY – CLINICAL TRIALS

Effect of lipid reduction on the progression of renal disease: A meta-analysis. *Linda F. Fried, Trevor J. Orchard, and Bertram L. Kasiske, for the Lipids and Renal Disease Progression Meta-Analysis Study Group* 260

Contribution of dietary oxalate to urinary oxalate excretion. *Ross P. Holmes, Harold O. Goodman, and Dean G. Assimos* 270

Charge-dependent binding of polymeric IgA_1 to human mesangial cells in IgA nephropathy. *Joseph C.K. Leung, Sydney C.W. Tang, Man Fai Lam, T.M. Chan, and Kar Neng Lai* 277

Ramipril prolongs life and is cost effective in chronic proteinuric nephropathies. *Piero Ruggenenti, Eva Pagano, Luciana Tammuzzo, Roberto Benini, Livio Garattini, and Giuseppe Remuzzi, on behalf of the Gruppo Italiano di Studi Epidemiologici in Nefrologia (Gisen)* 286

Characterization of tubular functional capacity in humans using para-aminohippurate and famotidine. *Thomas C. Dowling, Reginald F. Frye, Donald S. Fraley, and Gary R. Matzke* 295

Predictive power of the second renal biopsy in lupus nephritis: Significance of macrophages. *Gary S. Hill, Michel Delahousse, Dominique Nochy, Philippe Rémy, Françoise Mignon, Jean-Philippe Méry, and Jean Bariéty* 304

Quantitative immunoelectron microscopy of type VI collagen in glomeruli in type I diabetic patients. *Tatsumi Moriya, Thomas J. Groppoli, Youngki Kim, and Michael Mauer* 317

RAPID COMMUNICATION: L-folinic acid versus folic acid for the treatment of hyperhomocysteinemia in hemodialysis patients. *Angelito Yango, Douglas Shemin, Natalie Hsu, Paul F. Jacques, Lance Dworkin, Jacob Selhub, and Andrew G. Bostom* 324

Morphology of idiopathic IgA nephropathy with segmental necrotizing lesions of the capillary wall. *Giuseppe D'Amico, Pietro Napodano, Franco Ferrario, Maria Pia Rastaldi, and Girolamo Arrigo* 682

Familial nephropathy differing from minimal change nephropathy and focal glomerulosclerosis. *Amanda J.W. Branten, Jacob van den Born, Jan L.J. Jansen, Karel J.M. Assmann, and Jack F.M. Wetzels, with the technical assistance of Henry B.P.M. Dijkman* 693

Progression of diabetic nephropathy. *Peter Hovind, Peter Rossing, Lise Tarnow, Ulla M. Smidt, and Hans-Henrik Parving* 702

Gitelman's syndrome revisited: An evaluation of symptoms and health-related quality of life. *Dinna N. Cruz, Andrea J. Shaer, Margaret J. Bia, Richard P. Lifton, and David B. Simon, for the Yale Gitelman's and Bartter's Syndrome Collaborative Study Group* 710

Outpatient vancomycin use and vancomycin-resistant enterococcal colonization in maintenance dialysis patients. *Mohamed G. Atta, Joseph A. Eustace, Xiaoyan Song, Trish M. Perl, and Paul J. Scheel, Jr.* . . . 718

Relationship between hematocrit and renal function in men and women. *Chi-yuan Hsu, David W. Bates, Gilad J. Kuperman, and Gary C. Curhan* . . . 725

Mass spectrometry proves under-*O*-glycosylation of glomerular IgA1 in IgA nephropathy. *Yoshiyuki Hiki, Hiroko Odani, Mami Takahashi, Yoshinari Yasuda, Akeyo Nishimoto, Hitoo Iwase, Toru Shinzato, Yutaka Kobayashi, and Kenji Maeda* . . . 1077

Bone mineral density and histology in distal renal tubular acidosis. *Somnuek Domrongkitchaiporn, Chonlatrip Pongsakul, Wasana Stitchantrakul, Vorachai Sirikulchayanonta, Boonsong Ongphiphadhanakul, Piyanuch Radinahamed, Patcharee Karnsombut, Narin Kunkitti, Chatuporn Ruang-raksa, and Rajata Rajatanavin* . . . 1086

Tubular stress test detects subclinical reduction in renal functioning mass. *Bernardo Rodríguez-Iturbe, José Herrera, Crispín Marín, and Reinaldo Mañalich* . . . 1094

Oral vitamin B_{12} and high-dose folic acid in hemodialysis patients with hyper-homocyst(e)inemia. *Braden Manns, Eric Hyndman, Ellen Burgess, Howard Parsons, Jeff Schaefer, Floyd Snyder, and Nairne Scott-Douglas* . . . 1103

Birth weight and risk of renal cell cancer. *Anna Bergström, Per Lindblad, and Alicja Wolk* . . . 1110

Incidental renal artery stenosis in peripheral vascular disease: A case for treatment? *Trude C. Leertouwer, Peter M.T. Pattynama, and Annette van den Berg-Huysmans* . . . 1480

Cyclosporine in patients with steroid-resistant membranous nephropathy: A randomized trial. *Daniel C. Cattran, Gerald B. Appel, Lee A. Hebert, Lawrence G. Hunsicker, Marc A. Pohl, Wendy E. Hoy, Douglas R. Maxwell, and Cheryl L. Kunis, for the North American Nephrotic Syndrome Study Group* . . . 1484

Upper extremity digital subtraction venography with gadoterate meglumine before fistula creation for hemodialysis. *Olivier Geoffroy, Marc Tassart, Alain-Ferdinand Le Blanche, Antoine Khalil, Viviane Duédal, Jérôme Rossert, Jean-Michel Bigot, and Frank P. Boudghène* . . . 1491

Obesity-related glomerulopathy: An emerging epidemic. *Neeraja Kambham, Glen S. Markowitz, Anthony M. Valeri, Julie Lin, and Vivette D. D'Agati* . . . 1498

Incidence, risk factors, and prognosis of gastrointestinal hemorrhage complicating acute renal failure. *Enrico Fiaccadori, Umberto Maggiore, Barbara Clima, Luigi Melfa, Carlo Rotelli, and Alberico Borghetti* 1510

Plasminogen activator inhibitor-1 gene polymorphism 4G/4G genotype and lupus nephritis in Chinese patients. *Angela Yee Moon Wang, Peter Poon, Fernand MacMound Lai, LyMee Yu, Paul Cheung Lung Choi, Siu Fai Lui, and Philip Kam Tao Li* . . . 1520

Novel glomerular lipoprotein deposits associated with apolipoprotein E2 homozygosity. *Minoru Sakatsume, Moritoshi Kadomura, Iku Sakata, Naofumi Imai, Daisuke Kondo, Yutaka Osawa, Hisaki Shimada, Mitsuhiro Ueno, Takashi Miida, Shinichi Nishi, Masaaki Arakawa, and Fumitake Gejyo* . . . 1911

Immunosuppressive agents in childhood nephrotic syndrome: A meta-analysis of randomized controlled trials. *Anne M. Durkan, Elisabeth M. Hodson, Narelle S. Willis, and Jonathan C. Craig* . . . 1919

Plasma concentration and urinary excretion of N-terminal proatrial natriuretic peptides in patients with kidney diseases. *Martina Franz, Wolfgang Woloszczuk, and Walter H. Hörl* . . . 1928

A randomized trial of minidose warfarin for the prevention of late malfunction in tunneled, cuffed hemodialysis catheters. *Michele H. Mokrzycki, Kernilde Jean-Jerome, Heather Rush, Miroslaw P. Zdunek, and Stuart O. Rosenberg* . . . 1935

Total body water reference values and prediction equations for adults. *William Cameron Chumlea, Shumei S. Guo, Christine M. Zeller, Nicholas V. Reo, Richard N. Baumgartner, Philip J. Garry, Jack Wang, Richard N. Pierson, Jr., Steven B. Heymsfield, and Roger M. Siervogel* . . . 2250

Prevalence and determinants of erectile dysfunction in hemodialysis patients. *Sylvia E. Rosas, Marshall Joffe, Eunice Franklin, Brian L. Strom, Wayne Kotzker, Colleen Brensinger, Eric Grossman, Dale Glasser, and Harold I. Feldman* 2259

Dimethylglycine accumulates in uremia and predicts elevated plasma homocysteine concentrations. *David O. McGregor, Warwick J. Dellow, Michael Lever, Peter M. George, Richard A. Robson, and Stephen T. Chambers* 2267

Sensitivity to meat protein intake and hyperoxaluria in idiopathic calcium stone formers. *Quan-Vinh Nguyen, Agnes Kälin, Uschi Drouve, Jean-Paul Casez, and Philippe Jaeger* 2273

Add-on angiotensin receptor blockade with maximized ACE inhibition. *Rajiv Agarwal* 2282

Twenty-four–hour urine chemistries and the risk of kidney stones among women and men. *Gary C. Curhan, Walter C. Willett, Frank E. Speizer, and Meir J. Stampfer* 2290

DIALYSIS – TRANSPLANTATION

Loss of living donor renal allograft survival advantage in children with focal segmental glomerulosclerosis. *Michelle A. Baum, Donald M. Stablein, Valerie M. Panzarino, Amir Tejani, William E. Harmon, and Steven R. Alexander, for the North American Pediatric Renal Transplant Cooperative Study* 328

Impact of humoral alloreactivity early after transplantation on the long-term survival of renal allografts. *Stephan R. Lederer, Brigitte Kluth-Pepper, Helmut Schneeberger, Ekkehard Albert, Walter Land, and Helmut E. Feucht* 334

Long-term reduction of plasma homocysteine levels by super-flux dialyzers in hemodialysis patients. *Anne van Tellingen, Muriël P.C. Grooteman, Piet C.M. Bartels, Jacques van Limbeek, Coen van Guldener, Piet M. ter Wee, and Menso J. Nubé* 342

Long-term clinical effects of a peritoneal dialysis fluid with less glucose degradation products. *Bengt Rippe, Ole Simonsen, Olle Heimbürger, Anders Christensson, Börje Haraldsson, Gunnar Stelin, Lars Weiss, Finn-David Nielsen, Susanne Bro, Michael Friedberg, and Anders Wieslander* 348

Hemodialysis arteriovenous access: Detection of stenosis and response to treatment by vascular access blood flow. *Steve J. Schwab, Matthew J. Oliver, Paul Suhocki, and Richard McCann* 358

Kinetic studies of dipeptide-based and amino acid-based peritoneal dialysis solutions. *Andrzej Weryński, Jacek Waniewski, Tao Wang, Björn Anderstam, Bengt Lindholm, and Jonas Bergström* 363

Plasma reduced homocysteine concentrations are increased in end-stage renal disease. *Leonard John Hoffer, Line Robitaille, Kelly Marie Elian, Ilana Bank, Pranithi Hongsprabhas, and Orval Albert Mamer* 372

Post-transplant diabetes mellitus: Increasing incidence in renal allograft recipients transplanted in recent years. *Fernando G. Cosio, Todd E. Pesavento, Kwame Osei, Mitchell L. Henry, and Ronald M. Ferguson* 732

Changing hemodialysis thresholds for optimal survival. *Lynda Anne Szczech, Edmund G. Lowrie, Zhensheng Li, Nancy L. Lew, J. Michael Lazarus, and William F. Owen, Jr.* 738

Acute aluminum encephalopathy in a dialysis center caused by a cement mortar water distribution pipe. *Kenrick Berend, Gijsbert van der Voet, and Walther H. Boer* 746

Effect of cause and time of dropout on the residual GFR: A comparative analysis of the decline of GFR on dialysis. *Madhukar Misra, Ed Vonesh, John C. Van Stone, Harold L. Moore, Barbara Prowant, and Karl D. Nolph* 754

Chronic peritoneal dialysis in iron-deficient rats with solutions containing iron dextran. *Dheerendra K. Reddy, Harold L. Moore, Jeong Ho Lee, Rajiv Saran, Karl D. Nolph, Ramesh Khanna, and Zbylut J. Twardowski* 764

How to determine ionic dialysance for the online assessment of delivered dialysis dose. *Salvatore Di Filippo, Celestina Manzoni, Simeone Andrulli, Giuseppe Pontoriero, Cesare Dell'Oro, Vincenzo La Milia, Giuseppe Bacchini, Monica Crepaldi, Maria Carla Bigi, and Francesco Locatelli* 774

Leptin is a negative acute phase protein in chronic hemodialysis patients. *Burl R. Don, Laura M. Rosales, Nathan W. Levine, William Mitch, and George A. Kaysen* 1114

Validation of questionnaires to estimate physical activity and functioning in end-stage renal disease. *Kirsten L. Johansen, Patricia Painter, Jane A. Kent-Braun, Alexander V. Ng, Susan Carey, Makani Da Silva, and Glenn M. Chertow* 1121

Role of diuretics in the preservation of residual renal function in patients on continuous ambulatory peritoneal dialysis. *James F. Medcalf, Kevin P.G. Harris, and John Walls* 1128

Increased vascular growth in hemodialysis patients induced by platelet-derived diadenosine polyphosphates. *Joachim Jankowski, Joost Hagemann, Min-Sung Yoon, Markus van der Giet, Nina Stephan, Walter Zidek, Hartmut Schlüter, and Martin Tepel* 1134

Cold ischemia augments allogeneic-mediated injury in rat kidney allografts. *Ewout A. Kouwenhoven, Ron W.F. de Bruin, Ingeborg M. Bajema, Richard L. Marquet, and Jan N.M. Ijzermans* 1142

Increased dietary salt accelerates chronic allograft nephropathy in rats. *Paul W. Sanders, Cari L. Gibbs, Kabir M. Akhi, Lee Ann MacMillan-Crow, Kurt R. Zinn, Yiu-Fai Chen, Carlton J. Young, and John A. Thompson* 1149

Elevated blood pressure predicts the risk of acute rejection in renal allograft recipients. *Fernando G. Cosio, Ronald P. Pelletier, Todd E. Pesavento, Mitchell L. Henry, Ronald M. Ferguson, Lynn Mitchell, and Stanley Lemeshow* 1158

Anthropometry-based equations overestimate the urea distribution volume in hemodialysis patients. *Wybe D. Kloppenburg, Coen A. Stegeman, Paul E. de Jong, and Roel M. Huisman* 1165

Preventing dialysis hypotension: A comparison of usual protective maneuvers. *Sunita Dheenan and William L. Henrich* 1175

Bicarbonate/lactate-based peritoneal dialysis solution increases cancer antigen 125 and decreases hyaluronic acid levels. *Suzanne Jones, Clifford J. Holmes, Raymond T. Krediet, Ruth Mackenzie, Dirk Faict, Anders Tranaeus, John D. Williams, Gerald A. Coles, and Nicholas Topley, on behalf of the Bicarbonate/Lactate Study Group* 1529

Exponentially increased risk of infectious death in older renal transplant recipients. *Herwig-Ulf Meier-Kriesche, Akinlolu O. Ojo, Julie A. Hanson, and Bruce Kaplan* 1539

A novel immunoadsorption device for removing β_2-microglobulin from whole blood. *Guillermo A. Ameer, Eric A. Grovender, Hidde Ploegh, David Ting, William F. Owen, Maria Rupnick, and Robert Langer* 1544

Graft surveillance: Venous pressure, access flow, or the combination? *Johannes H.M. Smits, Joke van der Linden, E. Chris Hagen, Esther C. Modderkolk-Cammeraat, Geert W. Feith, Hein A. Koomans, Marinus A. van den Dorpel, and Peter J. Blankestijn* 1551

Diagnostic potential of cardiac natriuretic peptides in dialysis patients. *Francesca Mallamaci, Carmine Zoccali, Giovanni Tripepi, Francesco A. Benedetto, Saverio Parlongo, Alessandro Cataliotti, Sebastiano Cutrupi, Giuseppe Giacone, Ignazio Bellanuova, Benedetta Stancanelli, and Lorenzo S. Malatino, on behalf of the CREED Investigators* 1559

Long-term impact of discontinued or reduced calcineurin inhibitor in patients with chronic allograft nephropathy. *Matthew R. Weir, Mary Traver Ward, Steven A. Blahut, David K. Klassen, Charles B. Cangro, Stephen T. Bartlett, and Jeffrey C. Fink* 1567

Determinants of enhanced thromboxane biosynthesis in renal transplantation. *Maurizio Averna, Carlo Maria Barbagallo, Antonina Ganci, Carlo Giammarresi, Angelo Baldassare Cefalù, Vito Sparacino, Flavia Caputo, Stefania Basili, Alberto Notarbartolo, and Giovanni Davì* 1574

Oxidative stress is reduced by the long-term use of vitamin E-coated dialysis filters. *Minoru Satoh, Yasushi Yamasaki, Yoshio Nagake, Junko Kasahara, Masami Hashimoto, Norio Nakanishi, and Hirofumi Makino* 1943

β_2-Microglobulin increases the expression of vascular cell adhesion molecule on human synovial fibroblasts. *Majd I. Jaradat, Carol T. Schnizlein-Bick, Gurinder K. Singh, and Sharon M. Moe* 1951

Elevated plasma F2-isoprostanes in patients on long-term hemodialysis. *Garry J. Handelman, Mary F. Walter, Rohini Adhikarla, Jonathan Gross, Gerard E. Dallal, Nathan W. Levin, and Jeffrey B. Blumberg* 1960

Acute effects of simultaneous intraperitoneal infusion of glucose and amino acids. *Alberto Canepa, Alba Carrea, Stefania Menoni, Enrico Verrina, Antonella Trivelli, Rosanna Gusmano, and Francesco Perfumo* 1967

Flow in hemodialysis grafts after angioplasty: Do radiologic criteria predict success? *Shubhada N. Ahya, David W. Windus, and Thomas M. Vesely* 1974

Plasma proteins containing damaged L-isoaspartyl residues are increased in uremia: Implications for mechanism. *Alessandra F. Perna, Pasquale Castaldo, Natale G. De Santo, Enza di Carlo, Amelia Cimmino, Patrizia Galletti, Vincenzo Zappia, and Diego Ingrosso* 2299

Clinical course of peritonitis due to *Pseudomonas* species complicating peritoneal dialysis: A review of 104 cases. *Cheuk-Chun Szeto, Kai-Ming Chow, Chi-Bon Leung, Teresa Yuk-Hwa Wong, Alan Ka-Lun Wu, Angela Yee-Moon Wang, Siu-Fai Lui, and Philip Kam-Tao Li* 2309

Dipyridamole inhibits human peritoneal mesothelial cell proliferation in vitro and attenuates rat peritoneal fibrosis in vivo. *Kuan-Yu Hung, Ren-Shi Shyu, Cheng-Chung Fang, Chien-Chen Tsai, Po-Huang Lee, Tun-Jun Tsai, and Bor-Shen Hsieh* 2316

Venous neointimal hyperplasia in polytetrafluoroethylene dialysis grafts. *Prabir Roy-Chaudhury, Burnett S. Kelly, Mary Ann Miller, Anita Reaves, Janice Armstrong, Nuwan Nanayakkara, and Sue C. Heffelfinger* 2325

Assessment of a policy to reduce placement of prosthetic hemodialysis access. *Kathleen D. Gibson, Michael T. Caps, Ted R. Kohler, Thomas S. Hatsukami, Daniel L. Gillen, Margaret Aldassy, Donald J. Sherrard, and Catherine O. Stehman-Breen* 2335

Oxidative modification of low-density lipoproteins and the outcome of renal allografts at 1½ years. *Jean-Louis Bosmans, Paul Holvoet, Simonne E.H. Dauwe, Dirk K. Ysebaert, Thierry Chapelle, Angelika Jürgens, Vera Kovacic, Eric A. Van Marck, Marc E. De Broe, and Gert A. Verpooten* 2346

Ultrasound dilution evaluation of pediatric hemodialysis vascular access. *Stuart L. Goldstein and Amelia Allsteadt* 2357

Children with hypoalbuminemia on continuous peritoneal dialysis are at risk for technique failure. *Sanjeev Gulati, Derek Stephens, Judith A. Balfe, Donna Secker, Elizabeth Harvey, and J. Williamson Balfe* 2361

CONTEMPORARY ISSUES

Intervention of the Renal Disaster Relief Task Force in the 1999 Marmara, Turkey earthquake. *Raymond Vanholder, Mehmet Sukru Sever, Martin De Smet, Ekrem Erek, and Norbert Lameire* 783

COMMENTARY

Counting in the kidney. *John F. Bertram* 792

HISTORICAL ARCHIVES

Substitution of renal function through skin catharsis: Evidence from the classical period to the Middle Ages. *Athanasios A. Diamandopoulos and Pavlos C. Goudas* 1580

EDITORIALS

Heme oxygenase-1 in renal injury: Conclusions of studies in humans and animal models. *Yashpal S. Kanwar* 378

Mechanisms and clinical importance of hypertriglyceridemia in the nephrotic syndrome. *Michael P. O'Donnell* 380

Caveolar cohabitation. *Leon G. Fine* 797

Glucose toxicity. *Gary E. Striker* 799

Parathyroid gland hyperplasia in uremia. *Tilman B. Drüeke* 1182

Relaxin and renal fibrosis. *Gavin J. Becker and Tim D. Hewitson* 1184

Endothelin: The yin and yang of ischemic acute renal failure. *Robert Safirstein* 1590

Platelet-derived growth factor: A new clinical target on the horizon. *Jürgen Floege and Tammo Ostendorf* 1592

Childhood ADPKD: Answers and more questions. *Ellis D. Avner* 1979

ANCA signaling: Not just a matter of respiratory burst. *Gloria A. Preston and Ronald J. Falk* 1981

Fat-kidneyed. *David Harris* 2368

LETTERS TO THE EDITOR

Assessment of body composition in ESRF. *Jeroen P. Kooman, Petronella L.M. Cox-Reijven, Frank M. van der Sande, Eugenie C. van den Ham, and Karel M.L. Leunissen* 383

Accuracy of methods used to quantify cell hyperplasia. *John M. Basgen and Michael Mauer* 384

Different response of urinary excretion of VEGF in patients with chronic and acute renal failure. *Yasunori Kitamoto, Katsuhiko Matsuo, and Kimio Tomita* 385

Criteria for calcimimetic agent in the treatment of more severe secondary hyperparathyroidism. *Drasko Pavlovic and Hrvojka Tomic Brzac* 386

Relationship between birth weight, glomerular number, and glomerular size. *George B. Haycock* 387

The wife as kidney donor: Current Indian scenario. *Suresh Chandra Dash and Dipankar Bhowmik* 801

Has the time come for more flexible organ donation? *Kostas Sombolos and Dimitris Tsakiris* 801

Cohort study of the treatment of severe HIV-associated nephropathy with corticosteroids. *Tejinder S. Ahuja and Vasanta P. Weiss* 802

Albuminuria in patients with type II diabetes with retinopathy. *Chike Magnus Nzerue* 1186

Expanding the organ donor pool: The Spanish Model. *Rafael Matesanz and Blanca Miranda* 1594

Bone mass evolution after renal transplantation. *E. Goffin, J. P. Devogelaer, G. Depresseux, and C. van Ypersele de Strihou* 1594

Selectivity of proteinuria can be estimated reliably from samples of second morning urine. *Axel Regeniter, Werner H. Siede, André Scholer, Peter Huber, Nikolaus Frischmuth, and Jürg U. Steiger* 1595

Cited "validation" references for the SphygmoCor device. *Eldon D. Lehmann* 1597

Relationship between nonphenacetin-combined analgesics and nephropathy. *Monique M. Elseviers and Marc E. De Broe; Ranjit S. Nanra; W. Lornoy, I. Becaus, J.M. Billiouw, and L. Sierens; and Wolfgang Pommer and Eberhard Greiser* 2370

Prevalence of autosomal-dominant polycystic kidney disease in Alentejo, Portugal. *Edgar de Almeida, António Sousa, Carlos Pires, João Aniceto, Sara Barros, and Mateus Martins Prata* 2374

Post-transplant recurrence of focal segmental glomerulosclerosis. *Toshiyuki Ohta and Takashi Sakano* ... 2374

Prealbumin and mortality. *Philip Goldwasser* 2375

7-84 PTH or aluminum antagonism in the resistance of uremic bone to the remodeling effect of endogenous PTH? *Albert Fournier, Martine-Esther Cohen Solal, Roxana Oprisiu, Gabriel Choukroun, Philippe H. Morinière, and Roger Bouillon* 2375

NEPHROLOGY FORUM

Immunosuppressive medications for renal transplantation: A multiple choice question. *Gabriel M. Danovitch* 388

Progression and potential regression of glomerulosclerosis. *Agnes B. Fogo* 804

Recent developments in the management of secondary hyperparathyroidism. *William G. Goodman* ... 1187

Psychosocial factors in dialysis patients. *Paul L. Kimmel* 1599

Idiopathic membranous glomerulonephritis. *Daniel C. Cattran* 1983

Post-transplant hypophosphatemia. *Moshe Levi* 2377

Contents continued

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings 404, 820, 1207, 1614, 2002, 2388

Awards and grants 405, 2389

Erratum 821

ISN Council 2001 Elections 1202

Books Received 2390

ACKNOWLEDGMENT OF CORPORATE SPONSORS 2391

ACKNOWLEDGMENT OF REVIEWERS 2392

AUTHOR INDEX 2397

KIDNEY INTERNATIONAL

Volume 59, Supplement 78, February 2001

Uremic Toxicity

Proceedings of the Fourth International Congress on Uremic Toxicity

Vienna, Austria

November 20–23, 1999

Table of contents

Introduction. *Gere Sunder-Plassmann and Walter H. Hörl* S-1

ASYMMETRIC DIMETHYLARGININE

Urea-induced inducible nitric oxide synthase inhibition and macrophage proliferation. *Thomas Moeslinger and Paul Gerhard Spieckermann* S-2

Relationship of asymmetric dimethylarginine to dialysis treatment and atherosclerotic disease. *Jan T. Kielstein, Stefanie M. Bode-Böger, Jürgen C. Frölich, Hermann Haller, and Rainer H. Böger* S-9

Serum concentrations of asymmetric (ADMA) and symmetric (SDMA) dimethylarginine in renal failure patients. *Christian Fleck, Alexander Janz, Frank Schweitzer, Elke Karge, Markus Schwertfeger, and Günter Stein* S-14

Increased reduction of dimethylarginines and lowered interdialytic blood pressure by the use of biocompatible membranes. *Matthias Schröder, Eberhard Riedel, Werner Beck, Reinhold M. Deppisch, and Wolfgang Pommer* S-19

ADVANCED GLYCATION END PRODUCTS

Reactive carbonyl compounds related uremic toxicity ("carbonyl stress"). *Toshio Miyata, Satoshi Sugiyama, Akira Saito, and Kiyoshi Kurokawa* S-25

Inflammation and advanced glycation end products in uremia: Simple coexistence, potentiation or causal relationship? *Susanne Schwedler, Reinhard Schinzel, Peter Vaith, and Christoph Wanner* S-32

3-Deoxyglucosone and AGEs in uremic complications: Inactivation of glutathione peroxidase by 3-deoxyglucosone. *Toshimitsu Niwa and Saori Tsukushi* S-37

Peritoneal sclerosis in peritoneal dialysis patients related to dialysis settings and peritoneal transport properties. *Joerg Plum, Swetlana Hermann, Andreas Fusshöller, Gerrit Schoenicke, Andreas Donner, Ansgar Röhrborn, and Bernd Grabensee* S-42

Uremic toxins modulate the spontaneous apoptotic cell death and essential functions of neutrophils. *Gerald Cohen, Michael Rudnicki, and Walter H. Hörl* S-48

Advanced glycation end products impair protein turnover in LLC-PK_1: Amelioration by trypsin. *Guangsheng Xiang, Reinhard Schinzel, Andreas Simm, Katarina Sebekova, and August Heidland* S-53

Circulating advanced glycation end product levels in rats rapidly increase with acute renal failure. *Katarína Šebeková, Pavol Blažíček, Dagmar Syrová, Zora Krivošíková, Viera Spustová, August Heidland, and Reinhard Schinzel* S-58

Differences in the modulating potential of advanced glycation end product (AGE) peptides versus AGE proteins. *Winnie Deuther-Conrad, Sybille Franke, Manfred Sommer, Thomas Henle, and Günter Stein* S-63

Contents continued on next page

Contents continued

INHIBITORS OF ERYTHROPOIESIS

Role of uremic toxins in exacerbating anemia in renal failure. *Iain C. Macdougall* S-67

Polymeric protein-polyamine conjugates: A new class of uremic toxins affecting erythropoiesis. *Francesco Galli, Simone Beninati, Serena Benedetti, Alessandro Lentini, Franco Canestrari, Antonio Tabilio, and Umberto Buoncristiani* S-73

GUANIDINO COMPOUNDS IN UREMIA

Endogenous guanidino compounds as uremic neurotoxins. *Peter P. De Deyn, Rudi D'Hooge, Pierre-Paul Van Bogaert, and Bart Marescau* S-77

Characterization of p-hydroxy-hippuric acid as an inhibitor of Ca^{2+}-ATPase in end-stage renal failure. *Joachim Jankowski, Martin Tepel, Nina Stephan, Markus van der Giet, Vera Breden, Walter Zidek, and Hartmut Schlüter* S-84

Uremic concentrations of guanidino compounds inhibit neutrophil superoxide production. *Aki Hirayama, Alberto A. Noronha-Dutra, Michael P. Gordge, Guy H. Neild, and John S. Hothersall* S-89

Role of nitric oxide in the synthesis of guanidinosuccinic acid, an activator of the *N*-methyl-D-aspartate receptor. *Kazumasa Aoyagi, Siranoush Shahrzad, Satomi Iida, Chie Tomida, Aki Hirayama, Sohji Nagase, Katsumi Takemura, Akio Koyama, Shoji Ohba, Mitsuharu Narita, and Burton D. Cohen* S-93

Erythrocyte transketolase activity and guanidino compounds in hemodialysis patients. *Irena Pietrzak and Kazimierz Baczyk* S-97

OXIDATIVE MODIFICATIONS AND CARBAMOYLATION OF AMINO ACIDS AND PROTEINS IN UREMIA

Carbamoylation of amino acids and proteins in uremia. *Lorraine M. Kraus and Alfred P. Kraus, Jr.* . . . S-102

Importance of oxidatively modified proteins in chronic renal failure. *Béatrice Descamps-Latscha and Véronique Witko-Sarsat* S-108

Role of oxidized low-density lipoprotein in the atherosclerosis of uremia. *Tilman B. Drüeke, Thao Nguyen Khoa, Ziad A. Massy, Véronique Witko-Sarsat, Bernard Lacour, and Béatrice Descamps-Latscha* S-114

Dual effect of oxidized LDL on cell cycle in human endothelial cells through oxidative stress. *Jan Galle, Alexandra Heinloth, Christoph Wanner, and Kathrin Heermeier* S-120

Insulin and heparin suppress superoxide production in diabetic rat glomeruli stimulated with low-density lipoprotein. *Hung-Chun Chen, Jinn-Yuh Guh, Shyi-Jang Shin, Juei-Hsiung Tsai, and Yung-Hsiung Lai* S-124

Ex vivo low-density lipoprotein oxidizability and in vivo lipid peroxidation in patients on CAPD. *Johannes M. Roob, Thomas Rabold, Marianne Hayn, Gholamali Khoschsorur, Ulrike Resch, Herwig Holzer, and Brigitte M. Winklhofer-Roob* S-128

Effects of a vitamin E-modified dialysis membrane on neutrophil superoxide anion radical production. *Takekazu Shimazu, Masayuki Ominato, Katsuhide Toyama, Takashi Yasuda, Takeo Sato, Teruhiko Maeba, Shigeru Owada, and Masashi Ishida* S-137

A modified dialyzer with vitamin E and antioxidant defense parameters. *Miroslav Mydlík, Katarína Derzsiová, Oliver Rácz, Anna Šipulová, Eva Lovásová, and Jozefína Petrovičová* S-144

Vitamin E, lipid profile, and peroxidation in hemodialysis patients. *Francesco Galli, Zsuzsa Varga, Jozsef Balla, Barbara Ferraro, Franco Canestrari, Ardesio Floridi, Gyorgy Kakuk, and Umberto Buoncristiani* S-148

Glutathionyl hemoglobin in uremic patients undergoing hemodialysis and continuous ambulatory peritoneal dialysis. *Fumio Takayama, Shuichi Tsutsui, Masanobu Horie, Kaoru Shimokata, and Toshimitsu Niwa* S-155

Oxidative stress during hemodialysis: Effect of heparin. *Shifra Sela, Revital Shurtz-Swirski, Galina Shapiro, Lubna Nasser, Munir Hamzi, Shaul M. Shasha, and Batya Kristal* S-159

β_2-MICROGLOBULIN

β_2-Microglobulin–derived amyloidosis: An update. *Jürgen Floege and Markus Ketteler* S-164

Dialysis-related amyloidosis of the heart in long-term hemodialysis patients. *Fumio Takayama, Shigeru Miyazaki, Takashi Morita, Yoshihei Hirasawa, and Toshimitsu Niwa* S-172

Expression of β_2-microglobulin and c-fos mRNA: Is there an influence of high- or low-flux dialyzer membranes? *Christoph C. Haufe, Ulrike Eismann, Reinhold M. Deppisch, and Günter Stein* S-177

PARATHYROID HORMONE, VITAMIN D, CALCIUM AND PHOSPHORUS

Blunted response to vitamin D in uremia. *Griet Glorieux and Raymond Vanholder* S-182

Defects in B-cell function and metabolism in uremia: Role of parathyroid hormone. *Miroslaw Smogorzewski and Shaul G. Massry* S-186

Phosphate removal and hemodialysis conditions. *Robert Pohlmeier and Jörg Vienken* S-190

CELLULAR IMMUNE DEFECTS IN UREMIA

Dysfunction of polymorphonuclear leukocytes in uremia: Role of parathyroid hormone. *Shaul G. Massry and Miroslaw Smogorzewski* S-195

Apoptosis of leukocytes: Basic concepts and implications in uremia. *Bertrand L. Jaber, Miguel Cendoroglo, Vaidyanathapuram S. Balakrishnan, Mary C. Perianayagam, Andrew J. King, and Brian J.G. Pereira* . . . S-197

Molecular aspects of T- and B-cell function in uremia. *Matthias Girndt, Martina Sester, Urban Sester, Harald Kaul, and Hans Köhler* S-206

DNA damage of lymphocytes in experimental chronic renal failure: Beneficial effects of losartan. *Zora Krivošíková, Mária Dušinská, Viera Spustová, Katarína Šebeková, Pavol Blažíček, August Heidland, and Rastislav Dzúrik* S-212

Complement-dependent acceleration of apoptosis in neutrophils by dialyzer membranes. *Alexander R. Rosenkranz, Elisabeth Peherstorfer, Günther F. Körmöczi, Gerhard J. Zlabinger, Gert Mayer, Walter H. Hörl, and Rainer Oberbauer* S-216

HYPERHOMOCYSTEINEMIA IN UREMIA

The folate cycle and disease in humans. *Brian Fowler* S-221

Homocysteine and transmethylations in uremia. *Alessandra F. Perna, Diego Ingrosso, Pasquale Castaldo, Patrizia Galletti, and Natale G. De Santo* S-230

Homocysteine metabolism in renal failure. *Coen van Guldener, Frank Stam, and Coen D.A. Stehouwer* S-234

Recent insights into the molecular genetics of the homocysteine metabolism. *Manuela Födinger, Oswald F. Wagner, Walter H. Hörl, and Gere Sunder-Plassmann* S-238

Homocyst(e)ine, oxidative stress, and endothelium function in uremic patients. *Ziad A. Massy, Irène Ceballos, Bernadette Chadefaux-Vekemens, Thao Nguyen-Khoa, Béatrice Descamps-Latscha, Tilman B. Drüeke, and Paul Jungers* S-243

Treatment of hyperhomocysteinemia in hemodialysis patients and renal transplant recipients. *Andrew G. Bostom, Douglas Shemin, Reginald Y. Gohh, Andrew J. Beaulieu, Pamela Bagley, Ziad A. Massy, Paul F. Jacques, Lance Dworkin, and Jacob Selhub* S-246

Effect of *MTHFR* genotypes and hyperhomocysteinemia on patient and graft survival in kidney transplant recipients. *Wolfgang Hagen, Manuela Födinger, Gotfried Heinz, Heidi Buchmayer, Walter H. Hörl, and Gere Sunder-Plassmann* S-253

Is there a role of cyclosporine A on total homocysteine export from human renal proximal tubular epithelial cells?. *Mihaela C. Ignatescu, Manuela Födiger, Josef Kletzmayr, Christian Bieglmayer, Walter H. Hörl, and Gere Sunder-Plassmann* S-258

Homocysteine, its metabolites, and B-group vitamins in renal transplant patients. *Günter Stein, Andreas Müller, Martin Busch, Christian Fleck, and Heide Sperschneider* S-262

Contents continued on next page

EFFECT OF UREMIC TOXINS IN VARIOUS CLINICAL CONDITIONS

Protein-bound uremic solutes: The forgotten toxins. *Raymond Vanholder, Rita De Smet, and Norbert Lameire* S-266

Complement components as uremic toxins and their potential role as mediators of microinflammation. *Reinhold M. Deppisch, Werner Beck, Hermann Goehl, and Eberhard Ritz* S-271

Hippurate participates in the correction of metabolic acidosis. *Rastislav Dzúrik, Viera Spustová, Zora Krivošíková, and Katarína Gazdíková* S-278

IMPACT OF DIALYSIS THERAPIES ON UREMIC TOXINS

Effects of dialyzer membrane on interleukin-1β (IL-1β) and IL-1β–converting enzyme in mononuclear cells. *Silvia Linnenweber and Gerhard Lonnemann* S-282

Does convective dialysis therapy applied daily approach renal blood purification? *Ingrid Ledebo* S-286

Uremic toxins and peritoneal dialysis. *Norbert Lameire, Raymond Vanholder, and Rita De Smet* S-292

Renal versus continuous versus intermittent therapies for removal of uremic toxins. *William R. Clark and Lee W. Henderson* S-298

Renal replacement therapy and secondary hyperoxalemia in chronic renal failure. *Miroslav Mydlík and Katarína Derzsiová* S-304

Hepatotoxic substance(s) removed by high-flux membranes enhances the positive acute phase response. *Werner Riegel, Christof Ulrich, Sigrid Sauernheimer, Reinhold M. Deppisch, and Hans Köhler* S-308

KIDNEY INTERNATIONAL

Volume 59, Supplement 79, June 2001

International Society of Nephrology:

A Forty Year History

1960–2000

Roscoe R. Robinson and Gabriel Richet

Table of contents

Preface. *Roscoe R. Robinson and Gabriel Richet* S-1

THE FIRST DECADE: 1960s

Crucible for the Birth of an Idea S-2

The First Congress S-5

The Founding Assembly S-6

The Inter-Congress Period, 1960–1963 ..... S-8

Second International Congress of Nephrology, Prague, Czechoslovakia, September 26–30, 1963 .... S-9

The Inter-Congress Period, 1963–1966 ..... S-11

Third International Congress of Nephrology, Washington, D.C., USA, September 25–30, 1966..... S-12

The Inter-Congress Period, 1966–1969 ..... S-15

Fourth International Congress of Nephrology, Stockholm, Sweden, June 22–27, 1969 ..... S-16

THE SECOND DECADE: 1970s

The Inter-Congress Period, 1969–1972 ..... S-19

Fifth International Congress of Nephrology, Mexico D.F., Mexico, October 8–13, 1972 ..... S-22

The Inter-Congress Period, 1972–75 ..... S-24

Sixth International Congress of Nephrology, Florence, Italy, June 8–12, 1975 ..... S-25

The Inter-Congress Period, 1975–1978 ..... S-27

Seventh International Congress of Nephrology, Montreal, Canada, June 23–28, 1978..... S-30

The Inter-Congress Period, 1978–1981 ..... S-32

THE THIRD DECADE: 1980s

Eighth International Congress of Nephrology, Athens, Greece, June 7–12, 1981 ..... S-34

The Inter-Congress Period, 1981–1984 ..... S-36

Ninth International Congress of Nephrology, Los Angeles, USA, June 11–16, 1984 ..... S-38

The Inter-Congress Period, 1984–1987 ..... S-41

Contents continued on next page

Tenth International Congress of Nephrology, London, United Kingdom, July 26–31, 1987 ..... S-43
The Inter-Congress Period, 1987–1990 ..... S-46

THE FOURTH DECADE: 1990s

Eleventh International Congress of Nephrology, Tokyo, Japan, July 15–20, 1990 ..... S-49
The Inter-Congress Period, 1990–1993 ..... S-52
Twelfth International Congress of Nephrology, Jerusalem, Israel, June 13–18, 1993 ..... S-56
The Inter-Congress Period 1993–1995 ..... S-60
Thirteenth International Congress of Nephrology, Madrid, Spain, July 2–6, 1995 ..... S-62
The Inter-Congress Period, 1995–1997 ..... S-65
Fourteenth International Congress of Nephrology, Sydney, Australia, May 25–29, 1997 ..... S-68
The Inter-Congress Period, 1997–1999 ..... S-72
The Fifteenth International Congress of Nephrology, Buenos Aires, Argentina, May 2–6, 1999 .... S-75

THE FIFTH DECADE: 2000s

Entry Into the Next Millennium, 1999–2000 ..... S-81
Some Final Comments S-86
References S-89

APPENDIX

Table 1. ISN Officers 1960–2000 ..... S-94
Table 2. ISN Congresses S-94
Table 3. ISN Honorary Awards S-94
Table 4. Attendance at ISN Congresses S-95
Table 5. Percent acceptance of original full-length manuscripts submitted to *Kidney International* by year S-95
Table 6. Forefronts Conferences, 1986–2000 ..... S-95
Table 7. ISN Fellowship Awards S-95
Table 8. ISN Honorary Lectures S-96
Fig. 1. ISN Membership, 1972–1999 ..... S-96
Fig. 2. Submissions of original full-length manuscripts to *Kidney International*, 1972–1989 ..... S-96
Fig. 3. Paid circulation to *Kidney International*, 1980–1999 ..... S-97
Fig. 4. ISN Library Enhancement and Educational Slide S-97
Fig. 5. ISN Renal Sister Centers as presented at the XIV ISN Congress, Sydney S-98
Fig. 6. COMGAN activities in 1995–1997 ..... S-98
Fig. 7. Photographs of the ISN Presidents S-99